Farnham Summary Log 2014

Systematic List

Note: R = Number of days species recorded / Number of recording days in month.

| January | R=16/16 | Recorded throughout, 19 flew over on the 27th, maximum 10 adults + 5 |
|--|--------------------|---|
| s arraar y | 10,10 | juveniles on the 7th. |
| February | R=13/13 | Recorded throughout, 8 Adults & 5 juveniles on the 12th. |
| March | R=15/15 | Recorded throughout, maximum 6 adults + 5 juveniles on the 4th, Pair displaying on the 26th. |
| April | R=17/17 | Recorded throughout, Pair S lake & Pair N lake on the 1st. |
| May | R=10/10 | Recorded throughout, pair + 8 cygnets S lake + 12 over + pair north lake of the 24th. |
| June | R=11/11 | Pair present S lake throughout, 7 cygnets on the 14th, 6 cygnets on the 24th, pair present N lake. |
| July | R=14/14 | Pair present S lake throughout, 6 cygnets on the 1 st , 5 cygnets on the 8 th , 4 cygnets from 23 rd till month end + 8 adults on N lake on the 29 th . |
| August R=20/20 Pair + 4 juveniles present throughout on S lake, maximu | | Pair + 4 juveniles present throughout on S lake, maximum 9 adults & 4 juveniles on the 14th, 16th & 19th. |
| September | R=11/11 | Pair + 4 juveniles throughout, maximum 7 adults +4 juveniles on the 1st. |
| October | R=16/16 | Pair + 4 juveniles present throughout, maximum 7 adults + 4 juveniles on the 8 th & 16 th . |
| November | R=10/10 | Present throughout, maximum 7 adults + 4 juveniles on the 15th. |
| December | R=13/13 | Present throughout, maximum 24 adults + 4 juveniles on the 31st. |
| Whoope | r Swan <i>Cy</i> g | gnus cygnus |
| February | R=1/13 | 3 on North Lake on the 4th (I.D.W.) |
| March | R=4/15 | 32 flew over W at 11.55 a.m. on the 2 nd (J.E.A./L.L.), Adult + 3 Juvs Flew N at 8.45 a.m. on the 4 th (I.D.W), 35 flew N at 11.15 a.m. on the 6 th (I.D.W.), 26 flew over N at 9.45 a.m. on the 30 th later seen at Nosterfield. |
| October | R=1/16 | 14 flew over S.E. on the 20th (J.E.A./R.B). |
| Pink-foo | ted Goose | Anser brachyrhynchus |
| February | R=3/13 | 1 on the 20 th , 22 nd & 24 th . |
| March | R=3/15 | 1 on the 2 nd , 9 th , & 13 th . |
| September | R=1/11 | c35 flew over from the east on the 25th (J.E.A.) |
| November | R=2/10 | 46 flew N on the 4th, 68 flew NW on the 30th. |
| December | R=1/13 | 12 flew over N on the 21st. |

| January | R=16/16 | Present throughout, maximum 210 on the 21st. |
|----------|---------|---|
| February | R=13/13 | Present throughout, maximum 43 on the 22 nd . |
| March | R=15/15 | Present throughout, maximum 46 on the 4th. |
| April | R=17/17 | Present throughout, maximum 27 on the 5th, pair with 9 gosling on the 27th. |

| May | R=10/10 | Present throughout, 42 on the 17th, 8 adults + 18 goslings on the 20th. |
|-----------|---------|--|
| June | R=11/11 | Recorded throughout, maximum 58 on the 12th. |
| July | R=13/14 | Present throughout, maximum 31 on the 21st. |
| August | R=19/20 | Present throughout, maximum 158 on the 21st. |
| September | R=11/11 | Present throughout, maximum 95 on the 3 rd , 350+ flew over on the 30 th . |
| October | R=16/16 | Present throughout, 110 flew over on the 15th. |
| November | R=6/10 | Recorded throughout, 10 on the 29th. |
| December | R=13/13 | Present throughout, 30 on the 9th. |
| | | |

Canada Goose Branta canadensis

| January | R=16/16 | Present throughout, maximum 66 on 14th. |
|-----------|---------|---|
| February | R=13/13 | Present throughout, maximum 68 on the 15th. |
| March | R=15/15 | Present throughout, maximum 44 on the 4th. |
| April | R=17/17 | Present throughout, maximum 20 on the 9th, 1 gosling 27th, 8 goslings 29th. |
| May | R=10/10 | Present throughout, 38 adults + 26 goslings on the 20th. |
| June | R=11/11 | Present throughout, maximum 70 on the 5th. |
| July | R=14/14 | Present throughout, maximum 51 on the 21st. |
| August | R=19/20 | Present throughout, maximum 95 on the 19th. |
| September | R=10/11 | Present throughout, maximum 165 on the 3 rd . |
| October | R=15/16 | Present throughout, maximum 56 on the 25th. |
| November | R=10/10 | Present throughout, 90 flew over on the 24th, maximum 53 on the 29th. |
| December | R=13/13 | Present throughout, maximum 92 on the 9th. |
| | | |

Barnacle Goose Branta leucopsis

November R=1/101 on the 9th.

Brent Goose Branta bernicla

January R=1/161 flew from South departed South on the 11th (I.D.W.). 1 was reported from

Fairburn Ings later on same day.

Shelduck Tadorna tadorna

| January | R=4/16 | 1 on the 11th, 2 on the 19th, 1 on the 20th & 23rd. |
|----------|--------|---|
| February | R=2/13 | 1 on the 9th, 2 flew over on the 22nd. |
| March | R=1/15 | 1 male on the 26 th . |
| April | R=2/17 | 3 flew over on the 12th, 4 flew over on the 22nd. |
| May | R=1/10 | 2 Flew over on the 4th. |
| November | R=1/10 | 1 on the 17 th . |

Mandarin Aix galericulata

A female or juvenile on the 16th (I.D.W.). July R=1/14

Wigeon Anas penelope

Present throughout, maximum 82 on the 7th & 21st. January R=16/16

| February | R=13/13 | Present throughout, maximum 68 on the 1st & 6th. |
|-----------|---------|---|
| March | R=15/15 | Present throughout, maximum 64 on the 4th. |
| April | R=5/17 | 2 on the 1st, 1 on the 13th, 2 on the 15th & 19th, 5 on the 22nd. |
| May | R=1/10 | A male on the 10 th . |
| July | R=1/14 | 1 on the 12 th . |
| August | R=1/20 | 6 flew over on the 19th. |
| September | R=9/11 | Present throughout, maximum 8 on the 22 nd . |
| October | R=16/16 | Present throughout, maximum 56 on the 23rd. |
| November | R=10/10 | Present throughout, maximum 62 on the 8th & 24th. |
| December | R=13/13 | Present throughout, maximum 124 on the 20th. |

Gadwall Anas strepera

| January R | =16/16 | Present throughout, maximum 105 on the 7th. |
|-------------|---------|---|
| February R | =13/13 | Present throughout, maximum 40 on the 1st & 6th. |
| March R | =15/15 | Recorded throughout, maximum 20 on the 4th. |
| April R | =16/17 | Present throughout, maximum 8 on the 5th. |
| May R | =10/10 | Present throughout, maximum 6 on the 20th. |
| June R | =10/11 | Present throughout, pair with 2 ducklings on the 12th, maximum 9 on 20th. |
| July R | =2/14 | 1 on the 23 rd , female with 2 ducklings on the 31 st . |
| August R | =17/20 | Present throughout, maximum 12 on the 28th. |
| September R | =11/11 | Present throughout, maximum 18 on the 30th. |
| October R | =16/16 | Present throughout, maximum 75 on the 10th. |
| November R | =10/10 | Present throughout, maximum 64 on the 11th. |
| December R | t=13/13 | Present throughout, maximum 51 on the 6th. |

Teal Anas crecca

| January | R=16/16 | Recorded throughout, maximum 30 on the 8th & 12th. |
|-----------|---------|--|
| February | R=13/13 | Present throughout, maximum 16 on the 1st. |
| March | R=15/15 | Present throughout, maximum 12 on the 4th. |
| April | R=2/17 | 10 on the 1 st , 1 on the 15 th . |
| July | R=5/14 | 1 on the 16th, 17th, 19th, 25th & 31st. |
| August | R=9/20 | 1 to 2 birds present on 9 scattered dates throughout. |
| September | R=11/11 | Recorded throughout, maximum 8 on the 27th. |
| October | R=16/16 | Present throughout, maximum 26 on the 22 nd . |
| November | R=10/10 | Present throughout, maximum 38 on the 29th. |
| December | R=13/13 | Present throughout maximum 42 on the 29th |

Mallard Anas platyrhynchos

| January | R=16/16 | Present throughout, maximum 8 on the 7 th . |
|----------|---------|---|
| February | R=13/13 | Present throughout, maximum 11 on the 6 th . |
| March | R=14/15 | Present throughout, maximum 12 on the 4th. |
| April | R=17/17 | Present throughout, maximum 23 on the 1st, 12 ducklings on the 17th, |
| | | females with $12 - 10 - 7 \& 5$ ducklings on the 20 th . |
| May | R=10/10 | Present throughout, total of 45 ducklings on the 20th. |
| June | R=11/11 | Present throughout, 43 birds including ducklings on the 2 nd . |
| July | R=13/14 | Present throughout, 7 new ducklings on the 5th, maximum 101 on the 21st. |

| August | R=19/20 | Present throughout, maximum 60 on the 2 nd . |
|-----------|---------|--|
| September | R=10/11 | Present throughout, maximum 108 on the 13th. |
| October | R=15/16 | Present throughout, maximum 56 on the 23 rd . |
| November | R=10/10 | Present throughout, maximum 46 on the 8th. |
| December | R=13/13 | Present throughout, maximum 59 on the 16th. |

Pintail Anas acuta

November R=1/10 A male on the 12^{th} (J.E.A.)

Shoveler Anas clypeata

| January | R=3/16 | 1 on the 22 nd , male & female on the 24 th & 27 th . |
|----------|--------|--|
| April | R=1/17 | 1 male on the 5 th . |
| June | R=1/11 | A male on the 27th. |
| October | R=3/16 | 2 on the 12th, 1 flew over on the 15th, 1 on the 17th. |
| November | R=1/10 | A male on the 8th. |
| December | R=1/13 | 2 males & 1 female on the 31st. |

Pochard Aythya ferina

| January | R=16/16 | Present throughout, maximum 9 on the 5 th & 10 th . |
|----------|---------|---|
| February | R=13/13 | Present throughout, maximum 18 on the 12th & 16th. |
| March | R=3/15 | 1 on the 2 nd , 2 on the 4 th & 6 th . |
| April | R=2/17 | 1 female on the 4th, 1 male on the 30th. |
| November | R=5/10 | Male & female on the 4th, 6 flew over on 8th, a male on the 9th, 15th & 29th. |
| December | R=8/13 | Present throughout, maximum 4 on the 1st. |

Tufted Duck Aythya fuligula

| January | R=16/16 | Present throughout, maximum 114 on the 2 nd . |
|-----------|---------|--|
| February | R=13/13 | Present throughout, maximum 75 on the 1st. |
| March | R=15/15 | Present throughout, maximum 50 on the 9th. |
| April | R=17/17 | Present throughout, maximum 39 on the 1st. |
| May | R=10/10 | Present throughout, maximum 33 on the 20th. |
| June | R=11/11 | Present throughout, maximum 22 on the 2 nd . |
| July | R=14/14 | Present throughout, 20 including ducklings on 21st. |
| August | R=19/20 | Present throughout, 3 new ducklings on the 10th, maximum 20 on the 19th. |
| September | R=11/11 | Present throughout, 6 on the 13th. |
| October | R=16/16 | Present throughout, maximum 40 on the 25th. |
| November | R=10/10 | Present throughout, maximum 66 on the 11th. |
| December | R=13/13 | Present throughout, maximum 120 on the 31st. |
| | | |

Goldeneye Bucephala clangula

| January | R=16/16 | Present throughout, maximum 56 on the 27th. |
|----------|---------|---|
| February | R=13/13 | Present throughout, maximum 15 on the 12th. |
| March | R=12/15 | Present throughout, maximum 8 on the 6th. |
| April | R=3/17 | 1 on the 2 nd , male & female on the 25 th & 26 th . |

October R=2/16 3 on the 18th, 1 on the 25th.

November R=7/10 Present throughout, maximum 7 on the 15th when 4 also flew over.

December R=13/13 Present throughout, maximum 9 on the 31st.

Smew Mergellus albellus

November R=1/10 1 immature male flew in from N @ 15.00 on the 10th, still present @ dusk

16.30 (R.B./J.E.A.)

Goosander Mergus merganser

| January | R=2/16 | Male on the 13th, male & female on the 29th. |
|----------|--------|---|
| February | R=3/13 | 2 on the 1st, male & female on the 4th & 9th. |
| April | R=2/17 | 1 flew over on the 5th, 1 male on the 8th. |
| October | R=1/16 | 3 flew over S on the 26th. |
| November | R=3/10 | 1 flew over on the 2^{nd} , $1 + 16$ over on the 15^{th} , 9 flew over on the 23^{rd} . |
| December | R=3/13 | 1 flew over on the 1st, male & female on the 25th, 2 males & 1 female on |
| | | the 30 th |

Red-legged Partridge Alectoris rufa

| March | R=6/15 | 2 on the 17th & 20th, 3 on the 24th, 1 on the 26th, 29th & 30th. |
|--------|---------|---|
| April | R=5/17 | 1 on the 11th, 2 on the 12th, 21st, 27th & 29th. |
| May | R=6/10 | 1 on the 3 rd , 2 on the 4 th & 10 th , 1 on the 17 th & 24 th , 2 on the 30 th . |
| June | R=6/11 | 1 to 2 birds on 6 dates throughout. |
| July | R=1/14 | 1 on the 7 th . |
| August | R=19/20 | 1 on the 21st, 2 on the 24th. |

Pheasant Phasianus colchicus

| January | R=16/16 | Recorded throughout, maximum 6 on the 14th. |
|-----------|---------|---|
| February | R=11/13 | Recorded throughout, 8 on the 25th. |
| March | R=14/15 | Recorded throughout. |
| April | R=10/17 | Recorded on 10 scattered dates throughout. |
| May | R=3/10 | Recorded on the 4th, 17th & 20th. |
| June | R=6/11 | Recorded on the 2 nd , 8 th , 10 th , 12 th , 17 th & 24 th . |
| July | R=5/14 | Recorded on the 1st, 14th, 20th, 29th & 31st. |
| August | R=5/20 | Recorded on the 5th, 9th, 10th, 12th & 19th. |
| September | R=8/11 | Recorded throughout, 3 on the 28th. |
| October | R=16/16 | 1 to 6 birds recorded throughout. |
| November | R=10/10 | Recorded throughout, 6 on the 4th. |
| December | R=13/13 | Recorded throughout, maximum 12 on the 31st. |

Cormorant Phalacrocorax carbo

| January | R=16/16 | Present throughout, maximum 9 on the 7th. |
|----------|---------|--|
| February | R=13/13 | Present throughout, maximum 9 on the 4th, 7 including 1 race P.c. sinensis |
| | | on the 6^{th} . |
| March | R=15/15 | Present throughout, maximum 9 on the 4th. |

| April | R=12/17 | Recorded throughout, maximum 8 including 1 race <i>P.c. sinensis</i> on the 1 st . |
|-----------|---------|---|
| May | R=7/10 | Present throughout, 6 on the 3 rd . |
| June | R=10/11 | Present throughout, 7 on the 17 th . |
| July | R=14/14 | Present throughout, maximum 15 on the 26th. |
| August | R=20/20 | Present throughout, maximum 19 on the 17th. |
| September | R=11/11 | Present throughout, maximum 18 on the 13th & 20th. |
| October | R=16/16 | Present throughout, maximum 15 on the 16th. |
| November | R=10/10 | Present throughout, maximum 11 on the 6th & 29th. |
| December | R=13/13 | Present throughout, maximum 15 on the 9th. |
| | | |

Little Egret Egretta garzetta

August R=2/20 1 flew over @ 7.30 p.m. on the 9th (K.L. et al). 1 landed in willows on 10th before departing North (R.B./M.S./J.E.A.).

Grey Heron Ardea cinerea

| January | R=1/16 | 1 on the 1st. |
|-----------|---------|--|
| February | R=2/13 | 1 on the 6 th & 15 th . |
| March | R=4/15 | 1 on the 5 th , 3 on the 9 th , 1 on the 11 th & 30 th . |
| April | R=14/17 | Present throughout, 3 on the 12 th . |
| May | R=5/10 | Present on 5 scattered dates throughout, 3 on the 4th & 20th. |
| June | R=10/11 | Present throughout, 2 on the 10 th . |
| July | R=7/14 | Present throughout, 1 on the 16th & 20th, 2 on the 21st & 25th, 1 on the 26th, |
| | | 29th & 31st. |
| August | R=20/20 | 1 to 3 birds recorded throughout. |
| September | R=11/11 | Recorded throughout, 2 on the 3 rd . |
| October | R=12/16 | Recorded throughout, 2 on the 2 nd , 15 th & 23 rd . |
| November | R=1/9 | 1 present throughout. |
| December | R=10/13 | 1 to 2 birds present throughout. |
| | | |

Glossy Ibis Plegadis falcinellus

August R=3/20 Seen on Island 5 @ 1.15 p.m. on the 22nd present all day (J.E.A/G.B./ M.S./ R.B./L.L./B.D./ J.R.M./P. & M.R/S.S.), flew off at 9.15 a.m. on the 23rd (J.E.A./I.D.W.). New record for the site.

Little Grebe Tachybaptus rufficolis

| January | R=16/16 | Present throughout, maximum 5 on the 21st. |
|----------|---------|---|
| February | R=13/13 | Present throughout, maximum 6 on the 22 nd . |
| March | R=15/15 | Present throughout, 6 on the 11th, 15th & 18th. |
| April | R=16/17 | Present throughout, 6 on the 1st, 2 pair with nests on the 8th. |
| May | R=4/10 | Present throughout, 1 pair on the 3 rd , 4 th , 6 th & 10 th . |
| June | R=9/11 | 1 on the 2 nd , 8 th , 12 th , 13 th & 14 th , 2 on the 16 th , 1 on the 17 th , 21 st & 24 th . |
| July | R=14/14 | Present throughout, adult +2 well grown young on the 1st, 3 adults + 1 juv |
| | | on the 26th, adult with small young on the 27th. |
| August | R=20/20 | Present throughout, pair with 1 juvenile & pair with 2 small juveniles on |
| | | the 16th, 6 adults + 2 large juveniles on the 30th. |

| September | R=11/11 | Present throughout, maximum 9 on the 25th & 27th. |
|-----------|---------|--|
| October | R=16/16 | Present throughout, maximum 4 North Lake & 9 South Lake on the 18th. |
| November | R=10/10 | Present throughout, 15 on the 11th. |
| December | R=13/13 | Present throughout, maximum 8 on the 3 rd . |

Great Crested Grebe Podiceps cristatus

| January | R=10/16 | Present throughout, 3 on the 27th & 31st. |
|-----------|---------|---|
| February | R=11/13 | Present throughout, pair displaying on the 4th, maximum 8 on the 22nd. |
| March | R=15/15 | Present throughout, maximum 11 on the 4th, pair displaying 6th. |
| April | R=17/17 | Present throughout, maximum 6 on the 1st, pair with nest on the 19th, 1 egg |
| | | on the 23 rd predated on 25 th , pair with nest on the 27 th . |
| May | R=10/10 | Present throughout, pair S lake & pair N lake on the 4th & 24th |
| June | R=11/11 | Present throughout, nest with 3 eggs on the 6th, pair S lake & pair N lake |
| | | on the 10th, 3 chicks on the 22nd, pair + 2 chicks S lake & 1 + 4 chicks on |
| | | N lake on the 24 th . |
| July | R=14/14 | Present throughout, pair with 3 juveniles S lake & Pair + 2 juveniles N |
| | | lake on the 31st. |
| August | R=20/20 | Pair with 3 juveniles on S lake & a pair with 2 juveniles on N lake present |
| | | throughout. |
| September | R=11/11 | Present throughout, 4 adults + 5 juveniles on 1st, 3 adults + 4 juveniles on |
| | | the 3 rd , 8 birds on the 6 th , 2 adults + 3 juveniles on the 30 th . |
| October | R=12/16 | Present throughout, maximum 7 North Lake & 1 South Lake on the 18th. |
| November | R=9/10 | Present throughout, 9 on the 8th. |
| December | R=13/13 | Present throughout, 5 on the 1st, 3rd, 6th, 9th, 29th & 31st. |

Red Kite Milvus milvus

| January | R=7/16 | Recorded on 7 scattered dates throughout, 4 on the 13th. |
|-----------|---------|---|
| February | R=9/10 | Recorded on 9 scattered dates throughout, 3 on the 6th. |
| March | R=11/15 | Recorded on 11 scattered dates throughout, maximum 3 on the 9th. |
| April | R=8/17 | 1 on the 5th & 7th, 2 on the 8th & 12th, 1 on the 13th, 18th, 27th & 30th. |
| May | R=6/10 | 1 on 3 rd , 2 on the 4 th , 1 on the 10 th , 2 on the 24 th , 1 on the 29 th & 31 st . |
| June | R=7/11 | 1 on 2 nd , 8 th , 10 th & 12 th , 2 on the 17 th & 21 st , 1 on the 24 th . |
| July | R=7/14 | Recorded on 7 dates throughout, 5 on the 21st. |
| August | R=8/20 | 2 on the 5th, 2 on the 6th, 1 on the 8th & 12th, 2 on the 16th, 1 on the 19th, 2 |
| | | on the 21st & 3 on the 28th. |
| September | R=7/11 | Recorded throughout, maximum 2 on the 24th. |
| October | R=11/16 | Recorded throughout, maximum 12 on the 25th. |
| November | R=5/10 | 3 on the 1st, 1 on the 6th, 3 on the 8th, 1 on the 11th & 2 on the 23rd. |
| December | R=6/13 | 2 on the 6th & 9th, 1 on the 20th, 2 on the 25th, 1 on the 29th & 31st. |

Marsh Harrier Circus aeruginosus

April R=1/17 A female flew NW at 11.30 a.m. on the 20th (J.E.A./R.B./L.L./M.S.)

Sparrowhawk Accipiter nisus

January R=10/16 Recorded throughout, 2 on the 18th.

| February | R=5/13 | 1 on the 1^{st} , 4^{th} , 6^{th} & 18^{th} , 2 on the 22^{nd} . |
|-----------|---------|--|
| March | R=7/15 | Singles on 7 scattered dates throughout. |
| April | R=7/17 | 1 on the 5th, 7th, 13th, 18th, 19th & 27th, 2 on the 29th. |
| May | R=2/10 | 1 on the 20th & 31st. |
| June | R=1/11 | 1 on the 17 th . |
| July | R=6/14 | 1 on the 12 th , 14 th , 20 th , 21 st , 23 rd & 25 th . |
| August | R=11/20 | 1 on the 2 nd , 5 th , 8 th , 10 th , 17 th , 19 th & 20 th , 2 on 21 st , 1 on 23 rd , 30 th & 31 st . |
| September | R=7/11 | 1 on 1st, 6th & 14th, a juvenile on the 20th, 1 on the 27th & 28th, 2 on the 30th. |
| October | R=10/16 | Recorded throughout, 2 on the 16th, 23rd, 25th & 26th. |
| November | R=4/10 | 2 on the 1st,1 on the 6th, 11th & 22nd. |
| December | R=6/13 | 1 on the 1st, 3rd, 6th, 16th, 21st & 24th. |
| | | |

Buzzard Buteo buteo

| R=8/16 | Recorded throughout, 8 on the 13th. | |
|---------|---|--|
| R=12/13 | Recorded throughout 6 on the 1st & 4th. | |
| R=13/15 | Recorded throughout, 10 on the 9th. | |
| R=17/17 | Recorded throughout, 5 on the 7th. | |
| R=6/10 | Recorded throughout, 6 on the 4th. | |
| R=9/11 | Recorded throughout, 4 on the 8th, 10th & 17th, a bird picked up in poor | |
| | condition on the 28th was taken to J.R.M. the bird died later. It was badly | |
| | emaciated, had a diseased tarsus & unable to use foot. It was an old male. | |
| R=11/14 | Recorded throughout, 4 on the 26th & 31st. | |
| R=19/20 | Recorded throughout, pair with 1 juvenile over Coney Garth on the 20th, 4 | |
| | on the 9th, 14th & 28th. | |
| R=10/11 | Recorded throughout, 4 on the 14th & 27th. | |
| R=11/16 | Recorded throughout, 10 on the 5th. | |
| R=6/10 | 5 on the 1st, 1 on the 4th, 3 on the 6th, 4 on the 8th, 2 on the 11th & 1 on 15th. | |
| R=5/13 | 2 on 7th, 9th & 16th, 1 on the 21st, 2 on the 25th. | |
| | R=12/13 R=13/15 R=17/17 R=6/10 R=9/11 R=11/14 R=19/20 R=10/11 R=11/16 R=6/10 | |

Osprey Pandion haliaetus

August R=1/20 1 @ 12.30 p.m. till 1.45 p.m. on the 8th (J.E.A.).

Moorhen Gallinula chloropus

| January | R=16/16 | Present throughout month, 25 on the 14th. |
|-----------|---------|---|
| February | R=13/13 | Present throughout month, maximum 14 on the 18th. |
| March | R=15/15 | Present throughout, maximum 15 on the 6th. |
| April | R=17/17 | Present throughout month, 10 on the 8th. |
| May | R=10/10 | Present throughout. |
| June | R=10/11 | Present throughout. |
| July | R=14/14 | Present throughout, 32 + 6 juveniles on the 20th. |
| August | R=20/20 | Present throughout, 30 on the 19th. |
| September | R=11/11 | Present throughout, 30 on the 30th. |
| October | R=16/16 | Present throughout, 28 on the 23 rd . |
| November | R=10/10 | Present throughout, 18 on the 11th. |
| December | R=13/13 | Present throughout, 17 on the 18th. |

Coot Fulica atra

| January | R=16/16 | Present throughout month, maximum 64 on the 11th. |
|-----------|---------|---|
| February | R=13/13 | Present throughout, maximum 62 on the 4th. |
| March | R=15/15 | Present throughout, maximum 32 on the 6th. |
| April | R=17/17 | Present throughout month, 28 on the 8th. |
| May | R=10/10 | Present throughout. |
| June | R=11/11 | Present throughout, 2 chicks on the 10th, 3 chicks on the 19th. |
| July | R=14/14 | Present throughout, 26 on the 21st. |
| August | R=20/20 | Present throughout, 31 on the 19th. |
| September | R=11/11 | Present throughout, 18 on the 30 th . |
| October | R=16/16 | Present throughout, 27 on the 23 rd . |
| November | R=10/10 | Present throughout, 42 on the 11th. |
| December | R=13/13 | Present throughout, maximum 45 on the 18th. |

Avocet Recurvirostra avosetta

May R=1/10 1 at 1 p.m. on the 1st, left at 1.40 p.m. (J.E.A.), second record for reserve

first was 1984 which was the first records for HDNS.

Oystercatcher Haematopus ostralegus

| January | R=8/16 | 1 on the 11th, 12th, 13th, 14th, 2 on the 19th, 1 on the 23rd, 27th & 30th. |
|-----------|---------|---|
| February | R=13/13 | Recorded throughout, 10 on the 25th. |
| March | R=15/15 | Recorded throughout, maximum 10 on the 6th & 20th. |
| April | R=17/17 | Present throughout, 8 on the 1st, 5th, 9th & 22nd, 2 pair with nests on the 19th. |
| May | R=10/10 | Present throughout, 4 pair on the 10th & 17th. |
| June | R=10/11 | Present throughout, 8 birds on the 28th. |
| July | R=11/14 | Present throughout, 4 on the 1st & 14th. |
| August | R=3/20 | 3 on the 11 th & 14 th , 4 on the 15 th . |
| September | R=1/11 | 1 on the 1st. |
| November | R=2/10 | 1 on the 18th & 22nd. |
| | | |

Golden Plover Pluvialis apricaria

| August | R=1/20 | 1 with Lapwings on the 14th. |
|----------|--------|---------------------------------------|
| November | R=2/10 | 1 flew over on the 4th, 2 on the 7th. |

Lapwing Vanellus vanellus

| January February | R=15/16 R=11/13 | Recorded throughout, maximum c200 on the 19th, c150 on the 27th. Recorded throughout, maximum 120 on the 1st. |
|---------------------|--------------------|---|
| March | R=3/15 | 6 on the 9 th , 1 on the 15 th & 26 th . |
| April | R=5/17 | 1 on the 11 th , 22 nd , 26 th , 29 th & 30 th . |
| May | R=1/10 | 1 on the 6^{th} . |
| June | R=6/11 | Present throughout, 4 on the 21st, 24th & 28th. |
| July | R=14/14 | Present throughout, maximum c250 on the 26th & 31st. |
| August | R=20/20 | Present throughout, maximum 490 on the 26th. |
| September | R=11/11 | Present throughout, maximum 800+ on the 1st & 7th. |

October R=13/16 Present throughout, maximum 300 on the 16th. November R=8/10 Present throughout, maximum 80 on the 18th.

December R=13/13 Present throughout, 85 on the 18th.

Little Ringed Plover Charadrius dubius

April R=2/15 1 flew over on the 13th & 30th.

May R=4/10 2+1 on the 3rd, pair on the 6th, 1 on the 7th & 8th.

June R=10/11 Present throughout, 1+3 juveniles on the 12^{th} , 3 adults +3 juve on the 16^{th} .

July R=11/14 1 on the 2nd, 3rd, 5th, 28th & 29th.

Whimbrel Numenius phaeopus

May R=1/10 1 flew over calling on the 10^{th} (J.E.A.)

Curlew Numenius arquata

January R=1/16 1 flew over on the 11th.

July R=1/14 1 on the 12th.

August R=4/20 3 flew over on the 2nd, 1 flew over on the 5th, 16th & 26th.

November R=2/10 1 on the 8th & 12th.

Black-tailed Godwit Limosa limosa

August R=1/20 1 on the 30th (J.E.A./I.D.W.). September R=1/11 1 flew over North on the 5th.

Ruff Calidris pugnax

August R=1/20 1 on the 28th (I.D.W.)

Dunlin Calidris alpina

May R=1/10 1 in breeding plumage on the 9th (J.E.A.).

July R=1/14 1 on the 10th.

August R=3/20 1 on the 7th, 26th & 28th. October R=2/16 1 on the 11th & 12th.

Common Sandpiper Actitis hypoleucos

April R=2/17 1 on the 20th & 21st.

May R=8/10 1 on the 1st, 3rd, 4th, 6th, 7th, 8th, 13th, & 14th.

June R=1/11 1 on the 26th.

July R=11/16 Present on 11 scattered dates throughout, 11 on the 10th (M.S.).

August R=3/20 1 on the 5th, 5 on the 7th, 1 on the 14th.

September R=3/11 1 on the 14th, 16th & 20th.

October R=1/16 1 on the 3rd.

Green Sandpiper Tringa ochropus

April R=1/17 1 on the 20th (J.E.A.).

September R=1/11 4 on island 4 on the 6th flew off South (R.B. / J.E.A.)

Greenshank Tringa nebularia

July R=1/14 1 on the 8th (J.E.A.).

August R=3/20 1 present all day on the 5th, still present on the 6th (J.E.A.), 1 flew South on

the 10th.

Redshank Tringa totanus

| April | R=1/17 | 1 on the 19 th . |
|-------|--------|-----------------------------|
| March | R=3/15 | 1 on the 4th, 13th & 18th. |
| May | R=1/10 | 2 flew over on the 20th. |

June R=1/11 1 on the 5th.

July R=2/14 1 on the 28^{th} , 2 on the 31^{st} . August R=1/20 1 flew over on the 5^{th} .

Woodcock Scolopax rusticola

January R=2/16 1 flushed N Marsh on 1st (R.B./J.E.A./M.S./B.D.), 1 flushed below area 5

on the 27th (R.B/J.E.A.).

March R=2/15 1 on the 4th (I.D.W.), 1 on the 18th.

November R=1/10 1 flew across back field on the 24th (I.D.W.).

December R=1/13 1 on the 21st (R.B.)

Snipe Gallinago gallinago

January R=7/15 Recorded on 7 dates throughout, 6 on the 11th.

February R=3/13 1 on the 6th, 8 on the 10th & 4 on the 24th.

March R=3/15 2 on the 15th, 1 on the 18th & 26th.

April R=5/17 2 on the 16th & 1 on the 19th, 22nd, 26th & 29th.

June R=1/11 1 on the 28^{th} . July R=1/14 1 on the 26^{th} .

August R=8/20 2 on the 10th, 1 on the 12th, 18th & 23rd, 2 on the 24th, 1 on the 26th, 4 on the

28th, 1 on the 31st.

September R=11/11 Recorded throughout, maximum 11 on the 11th.

October R=14/16 Present throughout, 10 on the 1st & 16th.

November R=7/14 3 on the 1st, 2 on the 4th, 8th, 11th, 6 on the 15th, 1 on the 18th & 22nd.

December R=4/13 1 on the 3^{rd} , 4 on the 13^{th} , 1 on the 21^{st} & 31^{st} .

Common Tern Sterna hirundo

| April | R=10/17 | 1 on the 3 rd was earliest record by 2 days (5 th 1995), 1 on 21 st then present |
|--------|---------|---|
| | | till month end, 22 on the 25th, 6 on the 29th & 8 on the 30th. |
| May | R=10/10 | Present throughout, 7 pair on the 24th. |
| June | R=11/11 | Present throughout, 7 pair and 8 chicks hatched on 8th, 7 chicks from 3 pair |
| | | on platform on the 16th, 6 chicks from 3 pair on platform on the 28th, 2 pair |
| | | failed, also 2 juveniles flying & pair on top of wall eggs hatched. |
| July | R=14/14 | Present throughout, 4 fledged young on the 31st. |
| August | R=7/20 | Present from 1st till 12th, a 'Comic' Tern High to the S with Gulls on 21st, 7 |
| | | pairs bred producing 8 fledged birds. |

Arctic Tern Sterna paradisaea

April R=1/17 3 flew over at 10.20 a.m. on the 22^{nd} (J.E.A).

Kittiwake Rissa tridactyla

May R=1/10 1 Adult on the 8th (J.E.A.).

Black-headed Gull Chroicocephalus ridibundus

| January | R=16/16 | Present throughout, $500+$ at roost on the 4^{th} & $c100+c400$ over on the 30^{th} . | |
|-----------|---------|---|--|
| February | R=13/13 | Present throughout, 100+ on the 6th. | |
| March | R=15/15 | Present throughout, maximum c500 on the 13th. | |
| April | R=17/17 | Present throughout. | |
| May | R=10/10 | Present throughout. | |
| June | R=11/11 | Present throughout. | |
| July | R=14/14 | Present throughout. | |
| August | R=19/20 | Present throughout, maximum 90 on the 23 rd & 30 th . | |
| September | R=11/11 | Present throughout, maximum c200 on the 28th. | |
| October | R=16/16 | Present throughout, c800 at roost on 9th, maximum c1500 at roost on 16th. | |
| November | R=10/10 | Present throughout, maximum 120 on the 18th. | |
| December | R=13/13 | Present throughout, maximum c250 on the 1st. | |
| | | | |

Mediterranean Gull Larus melanocephalus

May R=1/10 2 in breeding plumage for 15 minutes on the 28^{th} (J.E.A.). June R=1/11 2 on the 2^{nd} (J.E.A.).

Common Gull Larus canus

| R=11/16 | Recorded throughout, 10+ on the 14th. |
|---------|---|
| R=10/13 | Recorded throughout, 18 on the 18th. |
| R=12/15 | Recorded throughout, maximum 6 on the 4th & 6th. |
| R=11/17 | Recorded on 11 dates throughout. |
| R=2/10 | 1 on the 3 rd & 6 th . |
| R=1/11 | 1 on the 16 th . |
| R=4/14 | 1 on the 1^{st} , 3 on the 25^{th} , 2 on the 26^{th} & 31^{st} . |
| | R=10/13 R=12/15 R=11/17 R=2/10 R=1/11 |

August R=7/20 1 on the 2nd, 9th & 10th, 3 on the 23rd & 24th, 1 on the 26th & 28th.

September R=3/11 1 on the 13th, 20th & 28th.

October R=12/16 Recorded throughout, 15 at roost on the 9th.

November R=8/10 Recorded throughout, 8 on the 18th.

December R=8/13 Recorded throughout, 4 on the 29th.

Lesser Black-backed Gull Larus fuscus

March R=1/15 2 adults on the 30^{th} . April R=3/17 2 adults on the 9^{th} , 1 on the 13^{th} & 29^{th} . May R=2/10 3 flew over on the 4^{th} , 1 on the 29^{th} .

July R=4/14 1 on the 6th, 7th, 12th & 16th. August R=4/20 1 on the 5th, 14th, 26th & 28th.

September R=5/11 2 on the 9th, 1 on the 13th, 14th, 20th & 30th.

October R=9/16 1 on the 4th & 7th, 2 on the 8th, 1 on the 10th, 4 on the 11th, 6 on the 12th, 1

on the 16th, 18th & 23rd.

November R=1/10 1 on the 8th.

Herring Gull Larus argentatus

January R=13/16 Recorded throughout, maximum 500+ at roost on the 4th. Resorded on 8 scattered dates throughout, 22 on the 6th. Recorded throughout, maximum c200 on the 13th.

April R=13/17 Recorded throughout, 9 on the 1^{st} . May R=2/10 1 flew over on the 4^{th} , 1 on the 10^{th} .

June R=1/11 15 flew over on the 5th.

August R=6/20 2 on the 14th, 1 on the 16th & 19th, 3 on the 21st, 1 on the 26th, 2 on the 30th.

September R=5/11 2 on the 1st, 3 on the 10th, 1 on the 11th, 3 on the 13th, 1 on the 20th.

October R=9/16 1 to 3 birds recorded on 9 scattered dates throughout.

November R=7/10 Recorded throughout, 11 on the 8th.

December R=10/13 Recorded throughout, 66 on the 18th.

Great Black-backed Gull Larus marinus

January R=12/16 Recorded throughout, 250+ at roost on the 4th.

February R=7/13 1 on the 4th, 5 on the 6th, 1 on the 12th, 15th, 18th, 20th & 25th. March R=5/15 1 on the 2nd & 4th, 15 on the 6th, 1 on the 8th, 2 on the 11th.

October R=4/16 2 flew over on the 11^{th} , 1 on the 13^{th} , 8 on the 15^{th} & 1 on the 16^{th} .

November R=3/10 1 on the 1st, 3 on the 4th & 8th.

December R=9/13 Recorded throughout, c40 on the 20th.

Stock Dove Columba oenas

March R=2/15 3 on the 11th, 2 on the 24th. April R=2/17 2 on the 13th & 1 on the 18th.

May R=1/10 2 on the 4th.

1 on the 12th & 21st. June R=2/11

1 on the 12th & 16th, 2 on 26th, 1 on the 29th & 31st. July R = 5/14

R = 7/201 on the 2nd & 5th, 2 on the 12th, 19th & 24th, 1 on the 26th & 30th. August

September 1 on the 4th, 2 on the 9th. R=2/11

October 6 on the 2^{nd} , 2 on the 8^{th} , 5 on the 18^{th} & 1 on the 26^{th} . R = 4/16

December R = 1/131 on the 6th.

Wood Pigeon Columba palumbus

R=14/14Present throughout. January

Present throughout, c100 on the 15th. February R=12/13Present throughout, c100 on the 26th. March R=15/15

Present throughout. April R=17/17May Present throughout. R=10/10June Present throughout. R=11/11Present throughout. July R=12/14Present throughout. August R=20/20September Present throughout. R=11/11Present throughout. October R=16/16

Present throughout, 150 on the 22nd, 340 flew over on the 24th. November R=10/10

December Present throughout. R=13/13

Collared Dove Streptopelia decaocto

July R=1/161 on the 31st.

August R = 1/201 flew over on the 16th.

Cuckoo Cucolus canorus

R=1/10May 1 calling on the 31st (I.D.W.).

Little Owl Athene noctua

R=1/101 on the 4th. May

Tawny Owl Strix aluco

March R=2/151 calling on the 9th & 29th.

April R = 1/171 North end & 1 in Owl Box on the 18th.

May R=2/101 on the 3rd & 4th. August R=1/201 on the 23rd.

September R = 6/111 on the 3rd, 1 pair breed rearing 2 young, 2 juveniles on the 6th, 2 on the

9th, 1 on the 11th, 2 on the 15th, 1 calling on the 28th.

Swift Apus apus

May R = 8/107 on the 4th then recorded till month end, maximum 200+ on the 29th.

June Present throughout, maximum c20 on the 7th. R=10/11R=14/14

July Present throughout, maximum 19 on the 21st. Present on 9 scattered dates, 8 on the 5th & 17th, 2 on the 28th was the last.

Kingfisher Alcedo atthis

R=9/20

August

| April | R=1/17 | A female on the 30th. |
|-----------|---------|---|
| May | R=4/10 | 1 on the 3 rd , 4 th , 20 th & 31 st . |
| June | R=1/11 | 1 on the 12 th . |
| July | R=6/14 | 1 on the 2 nd & 3 rd , 2 on the 8 th , 1 on the 12 th , 2 on the 29 th , 1 on the 31 st . |
| August | R=13/20 | 1 to 2 birds on 13 scattered dates throughout. |
| September | R=8/11 | 1 on the 3 rd & 6 th , 2 on the 9 th , 1 on the 11 th , 13 th , 14 th , 20 th & 30 th . |
| October | R=7/16 | 1 on the 2 nd , 4 th , 5 th , 7 th , 10 th , 26 th & 30 th . |
| November | R=2/10 | 3 on the 15 th & 1 on the 22 nd . |
| December | R=9/13 | 1 on the 1^{st} , 3^{rd} , 5^{th} , 6^{th} , 18^{th} , 21^{st} & 24^{th} , 2 on the 27^{th} , 1 on the 29^{th} . |

Green Woodpecker Picus viridis

| January | R=2/16 | 1 on the 4 th & 19 th . |
|-----------|---------|--|
| February | R=4/13 | 1 on the 6th, 9th, 20th & 25th. |
| March | R=5/15 | Calling on the 2 nd , 1 on the 6 th , 20 th , 24 th & 30 th . |
| April | R=3/17 | 1 on the 9th, 19th & 30th. |
| May | R=4/10 | 1 on the 3 rd , 6 th , 10 th & 29 th . |
| June | R=8/11 | 1 on the 2 nd , 3 rd , 4 th , 8 th , 10 th , 16 th , 21 st & 24 th . |
| July | R=9/14 | 1 on the 6 th & 7 th , 2 on the 12 th , 1 on the 19 th , 2 on the 21 st , 1 on the 23 rd , |
| | | 25th, & 26th, 2 on the 31st. |
| August | R=14/20 | Present throughout, 2 juveniles on the 9th. |
| September | R=7/11 | 1 to 2 birds on 7 scattered dates throughout. |
| October | R=4/16 | 1 on the 11 th , 12 th , 15 th & 26 th . |
| November | R=5/10 | 1 on the 4th, 9th, 11th, 15th & 24th. |
| December | R=2/13 | 1 on the 6 th & 13 th . |
| | | |

Great Spotted Woodpecker *Dendrocopos major*

| January | R=11/16 | Recorded throughout, 2 on the 19th & 21st. |
|---|---|---|
| February | R=10/13 | Recorded throughout, 2 on the 1st, heard drumming on the 22nd & 24th. |
| March | R=13/15 | Recorded throughout, 2 males on the 2 nd , pair on the 29 th . |
| April | R=9/17 | Recorded on 9 scattered dates throughout, drumming on the 5th, 2 on 29th. |
| May | R=6/10 | 3 on the 4th, 1 on the 10th & 14th, 2 on the 20th, 1 on the 24th & 29th. |
| June | R=5/11 | 1 on the 2 nd , 8 th , 10 th , 17 th & 24 th . |
| July | R=8/14 | 1 on the 1st & 12th, 2 on the 16th, 1 on the 20th, 23rd, 25th, 26th & 31st. |
| August | R=15/20 | 1 to 2 birds on the 15 dates throughout. |
| September | R=10/11 | Recorded throughout, 3 on the 27th. |
| October | R=12/16 | Recorded throughout, 2 on the 23 rd . |
| November | R=9/10 | 1 on the 1st, 4th, 6th, 8th, 11th, 15th, 18th, 24th & 29th. |
| December | R=8/13 | Recorded throughout, 3 on the 31st. |
| May June July August September October November | R=6/10 R=5/11 R=8/14 R=15/20 R=10/11 R=12/16 R=9/10 | 3 on the 4 th , 1 on the 10 th & 14 th , 2 on the 20 th , 1 on the 24 th & 29 th . 1 on the 2 nd , 8 th , 10 th , 17 th & 24 th . 1 on the 1 st & 12 th , 2 on the 16 th , 1 on the 20 th , 23 rd , 25 th , 26 th & 31 st . 1 to 2 birds on the 15 dates throughout. Recorded throughout, 3 on the 27 th . Recorded throughout, 2 on the 23 rd . 1 on the 1 st , 4 th , 6 th , 8 th , 11 th , 15 th , 18 th , 24 th & 29 th . |

Kestrel Falco tinnunculus

| January | R=7/16 | 1 on the 11 th , 13 th , 16 th , 18 th , 19 th , 27 th & 29 th . |
|----------|----------|---|
| February | R = 3/13 | 1 on the 1st 9th & 15th |

| March | R=6/15 | 1 on the 8th, 9th, 15th, 18th, 22nd & 24th. |
|-----------|--------|---|
| April | R=6/17 | 1 on the 12th, 13th, 16th, 26th, 27th & 30th. |
| May | R=3/10 | 1 on the 4th, 20th & 31st. |
| June | R=5/11 | 1 on the 2 nd , 8 th , 10 th , 16 th & 24 th . |
| July | R=4/14 | 1 on the 7th, 16th, 23rd & 31st. |
| August | R=5/20 | 1 on the 14th, 16th, 17th, 30th & 31st. |
| September | R=6/11 | 1 on the 1st, 9th, 13th, 14th, 20th & 30th. |
| October | R=8/16 | 1 on the 5th, 7th, 16th, 18th, 23rd, 25th, 26th & 28th. |
| November | R=4/10 | 1 on the 6th, 8th, 11th & 18th. |
| December | R=2/13 | 1 on the 1st & 20th. |
| | | |

0310 Hobby Falco subbuteo

| June | R=3/11 | 1 on the 8th (J.E.A.), 1 seen twice on the 16th (J.E.A. et al), 1 on the 24th | |
|--------|--------|---|---|
| | | (I.D.W). | |
| July | R=4/14 | 1 catching dragonflies on the 7th (J.E.A.), 1 on the 9th (J.E.A./J.D.P.), | I |
| | | adult on the 14th (J.E.A./R.B./P & K. L.), 1 on the 27th. | |
| August | R=1/20 | 1 on the 16 th . | |

Peregrine Falco peregrinus

| April | R=1/17 | 1 on the 3 rd . |
|----------|--------|---|
| June | R=1/11 | An adult carrying prey on the 8th, plucked item was a Great Spotted |
| | | Woodpecker (R.B./J.E.A.). |
| August | R=1/20 | 2 on the 2 nd (J.E.A.). |
| October | R=3/16 | 1 plucking prey on pylon on the 4th, 1 on the 25th & 26th. |
| November | R=1/10 | 1 on the 24 th . |
| December | R=1/13 | 1 on the 9th & 21st. |
| November | R=1/10 | 1 on the 24 th . |

Magpie Pica pica

| January | R=15/16 | Present throughout. |
|-----------|---------|---|
| February | R=13/13 | Present throughout, 10 on the 6th & 18th. |
| March | R=15/15 | Present throughout, 17 on the 9th. |
| April | R=17/17 | Present throughout. |
| May | R=10/10 | Present throughout. |
| June | R=11/11 | Present throughout. |
| July | R=14/14 | Present throughout. |
| August | R=20/20 | Present throughout. |
| September | R=11/11 | Present throughout, 10 on the 27th. |
| October | R=16/16 | Present throughout, 6 on the 11th. |
| November | R=10/10 | Present throughout. |
| December | R=13/13 | Present throughout. |

Jay Garrulus glandarius

| January | R=6/16 | 1 on the 4th, 14th, 18th, 19th, 21st & 27th. |
|----------|--------|---|
| February | R=3/13 | 1 on the 8th & 9th, 2 on the 12th. |
| March | R=8/15 | Recorded on 8 scattered dates throughout, 4 on the 11th & 29th. |

| April | R=8/17 | 1 to 2 birds on 8 scattered dates throughout. |
|-----------|---------|--|
| May | R=2/10 | 1 on the 4 th & 2 on the 31 st . |
| June | R=7/11 | Recorded throughout, 2 on the 17th & 24th. |
| July | R=9/14 | 1 to 4 birds on 9 dates throughout. |
| August | R=17/20 | 1 to 4 birds throughout. |
| September | R=11/11 | Recorded throughout, maximum 4 on the 3 rd . |
| October | R=12/16 | Recorded throughout, maximum 7 on the 2 nd . |
| November | R=7/10 | 2 on the 4th, 1 on the 6th & 8th, 3 on the 11th, 1 on the 22nd, 24th & 29th. |
| December | R=9/13 | 1 to 4 birds throughout. |

Jackdaw Corvus monedula

| January | R=15/16 | Recorded throughout. |
|-----------|---------|--|
| February | R=13/13 | Recorded throughout. |
| March | R=15/15 | Recorded throughout. |
| April | R=16/17 | Recorded throughout. |
| May | R=10/10 | Present throughout. |
| June | R=11/11 | Recorded throughout, 150+ on the 24th. |
| July | R=14/14 | Recorded throughout. |
| August | R=19/20 | Recorded throughout. |
| September | R=11/11 | Recorded throughout. |
| October | R=16/16 | Recorded throughout. |
| November | R=9/10 | Present throughout. |
| December | R=13/13 | Recorded throughout. |
| | | |

Rook Corvus frugilegus

| January | R=1/16 | Recorded on the 14th. |
|-----------|--------|---|
| July | R=1/14 | 1 on the 25th. |
| August | R=3/20 | 7 on the 19th, 1 on the 24th, 30 flew over on the 28th. |
| September | R=1/11 | 1 on the 14 th . |

Carrion Crow Corvus corone

| January | R=16/16 | Present throughout. |
|-----------|---------|----------------------|
| February | R=13/13 | Present throughout. |
| March | R=15/15 | Present throughout. |
| April | R=17/17 | Present throughout. |
| May | R=10/10 | Present throughout. |
| June | R=11/11 | Present throughout. |
| July | R=12/14 | Present throughout. |
| August | R=19/20 | Present throughout. |
| September | R=11/11 | Present throughout. |
| October | R=16/16 | Present throughout. |
| November | R=10/10 | Recorded throughout. |
| December | R=13/13 | Present throughout. |
| | | |

Goldcrest Regulus regulus

July R=2/14 2 juveniles on the 25th, 1 on the 26th.

August R=1/20 2 on the 17th.

September R=3/11 1 on the 1st, 9th & 14th.

October R=4/16 2 on the 2^{nd} , 1 on the 4^{th} & 12^{th} , 2 on the 26^{th} . November R=6/10 1 on the 4^{th} , 9^{th} , 15^{th} , 18^{th} & 29^{th} , 2 on the 30^{th} .

December R=7/13 1 on the 1st, 7th, 16th, 18th & 29th, 2 on the 30th & 1 on the 31st.

Blue Tit Cyanistes caeruleus

| January | R=16/16 | Present throughout. |
|-----------|---------|----------------------|
| February | R=13/13 | Present throughout. |
| March | R=15/15 | Present throughout. |
| April | R=17/17 | Present throughout. |
| May | R=10/10 | Present throughout. |
| June | R=10/11 | Recorded throughout. |
| July | R=14/14 | Recorded throughout. |
| August | R=18/20 | Present throughout. |
| September | R=11/11 | Present throughout. |
| October | R=16/16 | Present throughout. |
| November | R=10/10 | Present throughout. |
| December | R=13/13 | Present throughout. |
| | | |

Great Tit Parus major

| January | R=16/16 | Present throughout. |
|----------|---------|---------------------|
| February | R=13/13 | Present throughout. |
| March | R=15/15 | Present throughout. |
| April | R=17/17 | Present throughout. |

May R=10/10 Present throughout, family party on the 26th.

October R=16/16 Present throughout, 5 on the 4th.

November R=10/10 Present throughout.

December R=13/13 Present throughout.

Coal Tit Periparus ater

| January | R=16/16 | Present throughout, 2 on the 30th. |
|---------|---------|------------------------------------|
|---------|---------|------------------------------------|

February R=13/13 Present throughout.

March R=11/15 Present throughout, 3 on the 4th.

April R=3/17 1 on the 1st, 8th & 10th.

June R=1/11 1 on the 17^{th} .

July R=3/14 1 on the 20th, 21st & 23rd.

August R=7/20 1 on the 5th, 2 on the 9th, 1 on the 12th, 14th & 21st, 2 on the 23rd, 1 on 31st.

October R=8/16 1 on the 5th, 3 on the 15th & 16th, 1 on the 22nd, 23rd, 25th, 26th & 28th.

November R=10/10 Recorded throughout, 2 on the 6th & 22nd.

December R=13/13 Recorded throughout.

Marsh Tit Poecile palustris

| January | R=16/16 | Present throughout, 2 on the 29th. |
|-----------|---------|--|
| February | R=13/13 | Present throughout, 4 on the 6th & 3 on the 20th. |
| March | R=10/15 | Present throughout, 4 on the 9 th . |
| April | R=4/17 | 1 on the 1st, 13th & 18th, 3 on the 29th. |
| May | R=2/10 | 1 on the 4 th & 29 th . |
| July | R=4/14 | 1 on the 20th, 21st & 29th, 2 on the 31st. |
| August | R=12/20 | 1 to 2 birds throughout. |
| September | R=11/11 | Recorded throughout, 2 feeding on thistle seeds & honeysuckle berries on |
| | | 3 rd , maximum 4 on the 11 th . |
| October | R=11/16 | Recorded throughout, 3 on the 7 th . |
| November | R=10/10 | Recorded throughout, 3 on the 11th, 15th & 24th. |
| December | R=13/13 | Recorded throughout, 4 on the 9th. |

Skylark Alauda arvensis

Sand Martin Riparia riparia

| March | R=5/15 | 11 on the 20th, c15 on the 21st, c20 on the 22nd, 9 on the 26th & 1 on the |
|-----------|---------|---|
| | | 28 th . |
| April | R=14/17 | Present throughout, hundreds flew through on the 13th, c25 on the 17th, at |
| | | least 6 entering wall on the 30 th . |
| May | R=10/10 | Present throughout, 250 to 300 on the 1st, c15 pair on the 17th. |
| June | R=10/11 | Present throughout, 57 holes occupied on the 22 nd , 57 holes occupied & |
| | | young seen at entrance on the 24th. |
| July | R=14/14 | Present throughout, 1 gathering nest material on the 7 th . |
| August | R=20/20 | Present throughout, second brood 48 holes occupied on the 10th, maximum |
| | | c100 on the 12 th , |
| September | R=5/11 | Recorded on the 1st, 3rd & 6th, 16 on the 9th, 2 on the 13th. |
| October | R=1/16 | 8 flew over on the 28th. |

Swallow Hirundo rustica

| March | R=2/15 | 1 on the 26 th & 28 th . |
|-------|---------|--|
| April | R=13/17 | 1 on the 8th then present till month end, maximum c25 on the 25th. |
| May | R=9/10 | Present throughout, 30+ on the 1st. |

| July R=9/14 Present throughout, 3 on the 1st & 29th. | |
|---|-------|
| August R=17/20 Present throughout, maximum 18 on the 30th. | |
| September R=11/11 Present throughout, 60 flew over South on the 30th. | |
| October R=6/16 4 on the 4th, c100 through S on the 5th, 4 on the 7th, 5 on the 8th, 1 on 10 |)th & |
| 3 on the 12 th . | |

House Martin Delichon urbica

| April | R=1/17 | 1 on the 26 th . |
|-----------|--------|--|
| May | R=7/10 | Recorded from 7th till month end, c200 in the evening on the 21st. |
| June | R=3/11 | 1 on the 2 nd , 7 th & 8 th . |
| July | R=3/14 | 1 on the 7 th , 12 th & 23 rd . |
| August | R=6/20 | 1 on the 10th, 15 on the 12th, 1 on the 17th, 2 on the 20th, 1 on the 24th & |
| | | 30 th . |
| September | R=1/11 | 1 on the 14 th . |
| October | R=2/16 | 6 on the 4th & 25 flew over S on the 5th. |

Long-tailed Tit Aegithalos caudatus

| R=9/16 | Present on 9 dates throughout, maximum 14 on the 30 th . |
|---------|---|
| R=4/13 | 4 on the 4 th , 1 on the 5 th & 22 nd , 4 on the 25 th . |
| R=11/15 | Present throughout, pair nest building on the 9th, 8 on the 26th. |
| R=15/17 | Present throughout, 2 on the 1st & 8th, pair nest building on the 27th. |
| R=8/10 | Recorded throughout, 4 pair on the 4th, family parties 29th & 31st. |
| R=8/11 | Present throughout, 10+ on the 10 th . |
| R=12/14 | Recorded throughout, 10+ on the 14th & 29th. |
| R=12/20 | Recorded throughout, 5 on the 12th & 19th. |
| R=8/11 | Present throughout, 18 on the 9th. |
| R=10/16 | Recorded throughout, 7 on the 15th. |
| R=6/10 | 3 on the 4th, 5 on the 8th, 6 on the 11th & 15th, 1 on the 22nd & 2 on the 24th. |
| R=11/13 | Present throughout, 24 on the 1st. |
| | R=4/13 R=11/15 R=15/17 R=8/10 R=8/11 R=12/14 R=12/20 R=8/11 R=10/16 R=6/10 |

Chiffchaff Phylloscopus collybita

| March | R=12/15 | 1 singing on the 6 th was the first, then present throughout month, 10 on S |
|-----------|---------|---|
| | | lake & 13 on N lake on the 26th. |
| April | R=17/17 | Recorded throughout, 13 singing on the 10 th . |
| May | R=10/10 | Recorded throughout, 9 S lake & 10 N lake on the 4th. |
| June | R=11/11 | Recorded throughout, family party on the 28th. |
| July | R=14/14 | Recorded throughout. |
| August | R=19/20 | Present throughout, maximum 15+ on the 12th. |
| September | R=10/11 | Present throughout, 10 on the 9th. |
| October | R=7/16 | 8 on the 2 nd , 1 on the 4 th , 8 on the 5 th , 1 on the 8 th , 2 on the 11 th & 12 th , 1 on |
| | | the 19 th . |

Willow Warbler Phylloscopus trochilus

April R=12/17 1 on the 8th then recorded till month end, 6 on the 18th.

| May | R=9/10 | Recorded throughout, 6 S lake & 2 N lake on the 4 th . |
|-----------|---------|---|
| June | R=11/11 | Present throughout. |
| July | R=11/14 | Record throughout. |
| August | R=13/20 | 2 on the 5th, 1 on the 7th, 9th & 10th, 6 on the 12th, 1 on 14th, 17th, 19th, 20th, |
| | | 21st, 24th, 26th & 28th. |
| September | R=4/11 | 1 on the 1st, 3rd, 9th & 11th. |

Blackcap Sylvia atricapilla

| April | R=15/17 | A male on the 1st then recorded throughout, 8 on the 18th. |
|-----------|---------|---|
| May | R=10/10 | Present throughout, 8 singing S lake & 5 N lake on the 4th. |
| June | R=9/11 | Recorded throughout, family party on the 28th. |
| July | R=12/14 | Recorded throughout. |
| August | R=17/20 | Recorded throughout, 7 on the 12th & 7+ on the 23rd. |
| September | R=9/11 | 1 on the 1st, 2 on the 3rd, adult male & 2 juveniles on the 6th, 3 on the 9th, 9+ |
| | | on the 11th, 3 on the 13th, 1 on the 14th, 20th & 28th. |
| November | R=1/10 | A male on the 2 nd . |

Garden Warbler Sylvia borin

| April | R=3/17 | 1 singing on the 27th, 3 singing on the 29th, 1 on the 30th. |
|-----------|---------|---|
| May | R=10/10 | Recorded throughout, 5 on the 4 th . |
| June | R=11/11 | Present throughout, 3 singing on the 14th, family party on the 28th. |
| July | R=6/14 | 1 on the 1 st , 5 th , 7 th , 14 th , 16 th & 21 st . |
| August | R=8/20 | Adult feeding young on the 10th, 2 on the 12th, 1 on the 14th, 17th, 19th, 23rd, |
| | | 24th & 30th. |
| September | R=1/11 | 1 on the 14 th . |

Lesser Whitethroat Sylvia curruca

| Aprıl | R = 3/17 | I sang briefly on the $24^{\rm m}$, 2 on the $29^{\rm m}$, 1 on the $30^{\rm m}$. |
|--------|----------|---|
| May | R=6/10 | 1 on the 3 rd , 2 on the 4 th , 1 on the 6 th & 10 th , 2 on the 24 th , 1 on the 29 th . |
| July | R=3/14 | 1 on the 20 th , 23 rd & 29 th . |
| August | R=11/20 | 1 on the 2 nd , 2 on the 10 th , 1 on the 11 th , 4 on the 12 th , 1 on the 14 th , 16 th & |
| | | 17th, 3 on the 19th, 1 on the 21st, 2 on the 24th & 1 on the 28th. |

Whitethroat Sylvia communis

| April | R=2/17 | 2 singing on the 27th, 1 on the 29th. |
|--------|---------|--|
| May | R=5/10 | 1 on the 11th, 14th & 27th, pair on the 30th, 1 on the 31st. |
| June | R=6/11 | 2 singing on the 10th & 13th, 1 on the 17th, 19th, 21st & 24th. |
| July | R=3/14 | A juvenile on the 16th, family party of 5 birds on the 20th, 2 on the 31st. |
| August | R=15/20 | 4 on the 5th & 7th, 2 on the 9th, 1 on the 11th, 2 on the 12th, 2 juveniles on the |
| | | 14th, 1 on the 16th, 17th & 19th, 1 on the 20th 2 on the 24th, 1 on the |
| | | 26th, 3 on the 28th, 1 on the 30th & 31st. |

Sedge Warbler Acrocephalus schoenobaenus

| May $R=1/10$ | 1 on the 24th. |
|--------------|----------------|
|--------------|----------------|

August R=1/20 1 on the 10^{th} .

Reed Warbler Acrocephalus scirpaceus

July R=4/14 1 below hide on the 12^{th} (J.E.A./R.B.), 1 on the 20^{th} , 21^{st} & 31^{st} .

August R=2/20 1 on the 19^{th} & 20^{th} . September R=1/11 1 singing on the 15^{th} .

Nuthatch Sitta europaea

| March | R=3/15 | 1 on the 6th & 26th, a pair on the 29th. |
|-----------|---------|--|
| April | R=5/17 | 1 on the 1st, 5th, 8th, 10th & 18th. |
| May | R=1/10 | 2 on the 4 th . |
| July | R=1/14 | 2 on the 20 th . |
| August | R=4/20 | 1 on the 23 rd , 2 on the 6 th , 1 on the 26 th & 2 on the 28 th . |
| September | R=4/15 | 2 on the 3 rd , 1 on the 6 th , 2 on the 14 th & 30 th . |
| October | R=10/16 | 1 on the 2 nd , 7 th , 10 th , 19 th , 20 th & 22 nd , 2 on the 23 rd , 1 on 25 th , 26 th & 28 th . |
| November | R=6/10 | 1 on the 1st, 2 on the 2nd, 1 on the 4th, 6th, 8th & 15th. |
| December | R=1/13 | 1 on the 29 th . |

Treecreeper Certhia familiaris

| January | R=1/16 | 1 on the 1st. |
|-----------|--------|--|
| February | R=2/13 | 1 on the 4 th & 9 th . |
| March | R=8/15 | Present on 8 scattered dates throughout, pair N lake- pair in copse- 1 W |
| | | side & 1 S end on the 24th. |
| April | R=7/17 | 1 on the 1st, 5th, 7th, 9th & 11th, 2 on the 22nd & 1 on the 29th. |
| May | R=6/10 | 2 on the 4th, 1 on the 10th & 14th, feeding young on 17th, 1 on 20th & 24th. |
| June | R=3/11 | 1 on the 8th, 17th & 18th. |
| July | R=3/14 | 1 on the 7 th , 12 th & 17 th . |
| August | R=3/20 | 1 on the 5 th , 24 th & 31 st . |
| September | R=1/11 | 1 on the 3 rd . |
| October | R=3/16 | 1 on the 5 th , 2 on the 7 th , 1 on the 26 th . |
| November | R=2/10 | 1 on the 8 th & 24 th . |
| December | R=5/13 | 2 on the 7 th , 1 on the 9 th , 2 on the 21 st & 26 th , 1 on the 29 th . |

Wren Troglodytes troglodytes

| January | R=15/16 | Present throughout. |
|-----------|---------|--|
| February | R=12/13 | Present throughout. |
| March | R=14/15 | Recorded throughout. |
| April | R=17/17 | Present throughout. |
| May | R=8/10 | Present throughout, 6 singing S lake & 12 singing N lake on the 4th. |
| June | R=11/11 | Recorded throughout, family party on the 5th. |
| July | R=14/14 | Recorded throughout. |
| August | R=19/20 | Recorded throughout. |
| September | R=10/11 | Present throughout. |
| October | R=16/16 | Present throughout. |
| November | R=10/10 | Present throughout. |
| | | |

December R=13/13 Present throughout.

Starling Sturnus vulgaris

| February | R=1/13 | 1 on the 5^{th} . |
|-----------|---------|---|
| March | R=2/15 | 1 on the 19 th & 20 th . |
| April | R=2/17 | 1 on the 7 th & 11 th . |
| May | R=2/10 | 1 on the 4 th & 14 th . |
| June | R=3/11 | 11 on the 12 th , 12 on the 15 th , 1 on the 24 th . |
| July | R=1/16 | Recorded throughout, c100 on the 29th. |
| August | R=16/20 | Recorded throughout, c200 flew over on the 9th, c100 on the 17th. |
| September | R=11/11 | Recorded throughout, c50 on the 14th. |
| October | R=8/16 | Recorded 8 scattered dates throughout, 470 flew W on the 28th. |
| November | R=4/10 | 14 on the 8th, 1 on the 11th, 22 on the 15th, 6 on the 24th. |
| December | R=6/13 | 12 on the 1st, 6 on the 3rd, a few hundred E @ 3.30 p.m. on the 16th, 15 on |
| | | the 18th, 1 on the 21st & 24th. |

Blackbird Turdus merula

| January | R=16/16 | Present throughout, maximum 15+ on the 2 nd . |
|-----------|---------|---|
| February | R=12/13 | Present throughout. |
| March | R=14/15 | Present throughout. |
| April | R=17/17 | Present throughout. |
| May | R=10/10 | Present throughout, 7 S lake & 6 N lake on the 4th. |
| June | R=11/11 | Present throughout. |
| July | R=13/14 | Present throughout, 1 carrying food on the 19th, a juvenile on the 29th. |
| August | R=19/20 | Present throughout, 4 on the 20th. |
| September | R=11/11 | Present throughout, maximum 20+ on the 9th & 11th. |
| October | R=16/16 | Present throughout, maximum 15+ on the 2 nd & 15 th . |
| November | R=10/10 | Present throughout, 6 on the 8th. |
| December | R=13/13 | Present throughout. |
| | | |

Fieldfare *Turdus pilaris*

| January | R=1/16 | 1 on the 21st. |
|----------|--------|---|
| March | R=1/15 | 3 over on the 20th. |
| October | R=4/16 | 26 on the 14th, 4 on the 15th, 1 on the 16th, 20 on the 18th. |
| November | R=7/10 | Recorded throughout, 122 on the 8th. |
| December | R=7/13 | Recorded on 7 scattered dates throughout, 25 on the 1st. |

Song Thrush *Turdus philomelos*

| January | R=2/16 | 1 on the 19th & 23rd. |
|----------|---------|---|
| February | R=7/13 | 1 on the 1st, 4th, 6th, 12th & 15th, 3 on the 18th & 1 on the 25th. |
| March | R=11/15 | Recorded throughout, 3 + 2 singing on the 20th. |
| April | R=11/17 | Recorded on 11 scattered dates throughout, maximum 4 singing on the 10th. |
| May | R=8/10 | Recorded throughout, 3 S lake & 2 N lake on the 4th. |
| June | R=7/11 | Recorded on 7 dates throughout, 2 singing on the 2 nd . |
| July | R=7/14 | 1 on the 12th, 14th, 16th, 20th & 21st, 4 on the 29th, 1 on the 31st. |

August R=5/20 1 on the 5th & 9th, 2 on the 10th, 1 on the 24th & 28th.

September R=7/11 1 on the 1st, 6 on the 9th, 4 on the 11th, 7 on the 13th, 3 on the 14th, 2 on the

28th, 9 on the 30th.

October R=13/16 1 to 4 birds recorded throughout.

Redwing Turdus iliacus

| January | R=7/16 | Recorded on 7 dates throughout, 18 on the 14th. |
|----------|---------|---|
| February | R=6/13 | 15 on the 1st, 8 on the 4th, 15 on the 6th, 5 on the 12th, 4 on the 15th & 1 on |
| | | the 25th |
| March | R=10/15 | Recorded on 10 scattered dates throughout, 120 on the 20th. |
| October | R=9/16 | Recorded on 9 scattered dates throughout, 1,045 on the 18th. |
| November | R=9/11 | Recorded throughout, maximum c200 on the 8th. |
| December | R=11/13 | Recorded throughout, maximum 100+ on the 6th. |

Mistle Thrush Turdus viscivorus

| February | R=1/13 | 2 on the 4 th . |
|----------|--------|--|
| March | R=1/15 | 1 singing on the 9 th . |
| April | R=2/17 | 2 on the 17 th & 1 on the 29 th . |
| May | R=2/10 | 2 singing on the 4 th , 2 on the 17 th . |
| June | R=4/11 | 2 on the 17th, 1 juvenile on the 21st, 1 on the 24th & 2 on the 28th. |
| July | R=3/14 | 3 on the 5 th , 5 on the 12 th , 3 on the 16 th . |
| August | R=1/20 | 16 on the 16 th . |
| October | R=3/16 | 2 on the 2 nd , 1 on the 8 th & 21 st . |
| November | R=2/10 | 1 on the 4 th & 24 th . |
| December | R=3/13 | 3 on the 1st, 2 on the 6th & 1 on the 16th. |
| | | |

Spotted Flycatcher Muscicapa striata

August R=5/17 1 on the 5th (J.E.A.), 2 on the 17th & 19th, 1 on the 23rd & 31st.

September R=1/11 1 on the 3^{rd} .

Robin Erithacus rubecula

| January | R=15/16 | Present throughout. |
|-----------|---------|--|
| February | R=13/13 | Present throughout. |
| March | R=15/15 | Present throughout. |
| April | R=17/17 | Present throughout. |
| May | R=8/10 | Present throughout, 8 singing S lake & 10 singing N lake on the 4th. |
| June | R=11/11 | Recorded throughout, a juvenile on the 17th. |
| July | R=13/14 | Recorded throughout, juvenile on the 12th, 2 juveniles on the 20th. |
| August | R=17/20 | Present throughout, 2 juveniles on the 20th. |
| September | R=11/11 | Present throughout. |
| October | R=16/16 | Present throughout. |
| November | R=10/10 | Present throughout. |
| December | R=13/13 | Present throughout. |

Redstart Phoenicurus phoenicurus

July R=5/16 A male on the 15th (J.E.A.), a juvenile male on the 18th (J.E.A.), 1 + a very

young juvenile on the 19th (J.E.A.), 4 on the 20th, 3 on the 21st, 1 juvenile

on the 31st.

August R=9/20 1 on the 7th, 2 on the 9th & 12th, 1 on the 16th, 2 on the 19th, a very young

juvenile on the 20th, 2 on the 21st & 24th, 1 on the 28th.

September R=3/11 1 on the 1st, 2 on the 3rd, 1 on the 6th.

Wheatear Oenanthe oenanthe

September R=1/11 1 on the 14th.

Dunnock Prunella modularis

| January | R=16/16 | Present throughout. |
|-----------|---------|---|
| February | R=13/13 | Present throughout. |
| March | R=15/15 | Present throughout. |
| April | R=17/17 | Present throughout. |
| May | R=8/10 | Present throughout, 7 singing S lake & 3 singing N lake on the 4th. |
| June | R=11/11 | Present throughout, feeding young in nest on the 7th. |
| July | R=14/14 | Present throughout, feeding young on the 12th. |
| August | R=19/20 | Present throughout. |
| September | R=11/11 | Present throughout. |
| October | R=15/16 | Present throughout. |
| November | R=10/10 | Present throughout. |
| December | R=13/13 | Present throughout. |

Tree Sparrow Passer montanus

| January | R=16/16 | Present throughout, maximum 105 on the 5th. |
|-----------|---------|--|
| February | R=13/13 | Recorded throughout, c80 on the 13th. |
| March | R=15/15 | Recorded throughout, c50 on the 20th & 22nd. |
| April | R=15/17 | Recorded throughout. |
| May | R=10/10 | Recorded throughout, 2 pair on the 3 rd , 2 fledged young on the 24 th . |
| June | R=11/11 | Recorded throughout, pair seen mating & nest building on the 9th & 10th. |
| July | R=13/14 | Recorded throughout, family party on the 8th, a juvenile on the 12th. |
| August | R=10/20 | 1 on the 5th, 5 on the 7th, 1 on the 9thg, 12th, 14th & 16th, 4 on the 19th, 1 on |
| | | the 20 th , 7 on the 26 th & 1 on the 28 th . |
| September | R=2/11 | 1 on the 20th & 28th. |
| October | R=10/16 | Recorded throughout, maximum 79 flying to roost on the 23 rd . |
| November | R=10/10 | Recorded throughout, 102 flew off to roost @ dusk on the 10th. |
| December | R=13/13 | Recorded throughout, maximum 70+ on the 31st. |

Yellow Wagtail Motacilla flava

September R=4/11 2 on the 4th, 3 on the 5th, 1 adult + 2 juveniles on the 11th, 1 on the 15th.

Grey Wagtail Motacilla cinerea

September R=5/11 1 on the 21st & 24th, 3 on the 27th, 1 flew over on the 28th, 2 on the 30th.

October R=12/16 1 to 2 birds throughout.

November R=6/10 1 on the 1st, 2nd, 6th, 8th, 18th & 23rd.

December R=2/13 1 on the 1st & 20th.

Pied Wagtail Motacilla alba

January R=2/16 1 on the 13th & 23rd.

February R=1/13 1 on the 18th.

March R=7/15 1 on the 9th, 19th, 20th, 22nd, 2 on the 24th, 1 on the 6th & pair on the 29th.

April R=17/17 Present throughout, 2 on the 13th.

May R=4/10 1 on the 3rd, 6th, 10th & 14th.

June R=5/11 1 on the 2nd, 7th, 12th, 14th & 17th.

July R=12/14 Present throughout, 5 on the 23rd.

August R=20/20 Present throughout, 4 on the 5th & 23rd.

September R=11/11 Present throughout, 150+ at roost on the 18th.

October R=16/16 Present throughout, 13 on the 6^{th} .

November R=7/10 1 on the 1st, 4 on the 4th, 1 on the 8th & 11th, 3 on the 15th, 1 on 22nd & 29th.

December R=3/13 3 on the 6th, 1 on the 21st & 24th.

Meadow Pipit Anthus pratensis

February R=1/13 1 on the 9^{th} .

March R=1/15 4 on the 20th.

September R=2/11 2 flew over on the 3^{rd} , 5 on the 28^{th} . October R=2/16 2 on the 2^{nd} , 16 flew over on the 8^{th} . November R=2/10 1 on the 8^{th} & 1 flew over on the 18^{th} .

December R=1/13 2 on the 28th.

Chaffinch Fringilla coelebs

January R=16/16 Present throughout, maximum 14 on the 18th & 30th.

February R=12/13 Present throughout, 15 on the 6^{th} .

March R=14/15 Present throughout. April R=17/17 Present throughout.

May R=6/10 Present throughout, 4 S lake & 8 N lake on the 4th.

JuneR=9/11Present throughout.JulyR=12/14Recorded throughout.AugustR=17/20Recorded throughout.SeptemberR=11/11Present throughout.

October R=15/16 Present throughout, 4 on the 22^{nd} .

November R=10/10 Present throughout.

December R=13/13 Present throughout.

Bullfinch Pyrrhula pyrrhula

January R=15/16 Recorded throughout, maximum 10 on the 30th.

| February | R=11/13 | Recorded throughout. |
|-----------|---------|---|
| March | R=14/15 | Recorded throughout, 8 on the 26th. |
| April | R=14/17 | Recorded throughout, maximum 8 on the 8th. |
| May | R=6/10 | Recorded throughout, 4 S lake & 2 N lake on the 4th. |
| June | R=7/11 | Recorded throughout. |
| July | R=11/14 | Recorded throughout. |
| August | R=15/20 | Recorded throughout, maximum 14+ on the 26th. |
| September | R=10/11 | Recorded throughout, 15+ on the 11th, 15 on the 28th. |
| October | R=12/16 | Recorded throughout, maximum 10+ on the 5th. |
| November | R=9/10 | Recorded throughout, maximum 12 on the 8th. |
| December | R=12/13 | Recorded throughout, maximum 10 on the 16th. |

Greenfinch Chloris chloris

| January | R=2/16 | 1 on the 18th & 19th. |
|-----------|--------|---|
| February | R=1/13 | 1 on the 8 th . |
| March | R=4/15 | 1 on the 8th, 18th & 20th, 2 on the 22nd. |
| April | R=7/17 | 2 on the 5th, 1 on the 7th, 8th, 10th & 13th, 3 on the 29th, 1 singing on the 30th. |
| May | R=1/10 | 1 displaying on the 29 th . |
| July | R=2/14 | 1 on the 26th & 31st. |
| August | R=9/20 | 1 on the 5th, 4 on the 14th, 1 on the 16th, 6 on the 17th, 1 on the 20th, 6 on the |
| | | 23 rd & 24 th , 8 on the 28 th & 1 on the 31 st . |
| September | R=6/11 | 4 on the 1st, 2 on the 3rd, 1 on the 14th, 2 on the 20th, 6 on the 27th, 1 on the |
| | | 28 th . |
| October | R=2/16 | 1 on the 2^{nd} , 8 on the 18^{th} . |
| November | R=1/10 | 1 on the 28 th . |
| December | R=1/13 | 1 on the 16 th . |
| | | |

Linnet *Linaria cannabina*

| May | R=1/10 | Pair on the 14 th . |
|--------|--------|--|
| August | R=2/20 | 2 on the 7^{th} , 1 on the 23^{rd} . |

Lesser Redpoll Acanthis caberet

| January | R=4/16 | 2 on the 4th & 11th, 5 on the 19th & 1 on the 27th. |
|----------|--------|---|
| February | R=1/13 | 3 on the 1st. |
| March | R=1/15 | 2 on the 6 th . |
| April | R=1/17 | 6 on the 5 th . |
| October | R=1/16 | 2 on the 18th. |
| November | R=1/10 | 4 on the 8 th . |
| | | |

Goldfinch Carduelis carduelis

| January | R=5/16 | 1 on the 1st, 4th, 14th & 19th, 3 on the 23rd. |
|----------|--------|--|
| February | R=6/13 | 3 on the 1st, 12 on the 6th, 1 on the 9th & 19th, 3 on the 22nd & 1 on the 24th. |
| March | R=9/15 | Recorded on 9 scattered dates throughout, 3 on the 4th & 15th. |
| April | R=4/17 | 1 on the 9th, 3 on the 10th, 1 on the 13th & 29th. |
| May | R=4/10 | 1 on the 4th, 10th & 14th, 4 on the 29th. |

| June | R=3/11 | 1 on the 12 th & 19 th , 2 on the 28 th . |
|-----------|---------|---|
| July | R=13/14 | Recorded throughout, 6 on the 25th, 26th, 29th & 31st. |
| August | R=19/20 | Present throughout, maximum 16 on the 12th. |
| September | R=18/11 | 2 on the 1st, 3 on the 3rd & 9th, 7 on the 11th, 4 on the 13th, 1 on 14th & 28th, |
| | | 6 on the 30 th . |
| October | R=12/16 | Recorded throughout, maximum 80+ on the 10th & 18th. |
| November | R=8/10 | Recorded throughout, maximum 50+ on the 8th. |
| December | R=10/13 | Recorded throughout, 22 on the 16th & 20th. |
| | | |

Siskin Spinus spinus

| January | R=9/16 | Recorded on 9 dates throughout, c50 on the 21st. |
|-----------|--------|--|
| February | R=4/13 | 40 on the 3 rd , 8 on the 6 th , 3 on the 12 th & 4 on the 20 th . |
| March | R=6/15 | 5 on the 4th & 6th, 1 on the 11th, 2 on the 18th, 29th & 30th. |
| April | R=1/17 | 1 on the 1st. |
| September | R=1/11 | 5 flew over on the 27 th . |

Yellowhammer Emberiza citrinella

| January February March April May July September | R=13/16 R=12/13 R=15/15 R=12/17 R=2/10 R=1/14 R=1/11 | Recorded throughout, maximum 6 on the 11 th . Recorded throughout, maximum 9 on the 6 th . Recorded throughout, maximum 7 on the 5 th . Recorded throughout, maximum 6 on the 12 th . 1 on the 3 rd , 1 singing on the 29 th . 1 on the 6 th . 1 on the 11 th . |
|---|--|---|
| 2 | | |
| November December | R=4/10 R=8/13 | 1 on the 7 th , 2 on the 15 th , 1 on the 24 th & 2 on the 29 th . Recorded throughout, maximum 3 on the 20 th , 25 th & 31 st . |

Reed Bunting Emberiza schoeniclus

| January | R=8/16 | 1 present on 8 dates throughout. |
|-----------|---------|---|
| February | R=11/13 | Present throughout, maximum 3 on the 6th & 18th. |
| March | R=15/15 | Present throughout, maximum 3 on the 6th, 13th, 24th & 26th. |
| April | R=15/17 | Present throughout, maximum 3 on the 1st. |
| May | R=10/10 | Present throughout, 3 S lake & 2 N lake on the 4th. |
| June | R=11/11 | Present throughout. |
| July | R=13/14 | Recorded throughout. |
| August | R=10/17 | Recorded on 10 scattered dates throughout, 3 juveniles on the 14th. |
| September | R=7/11 | 1 on the 3 rd , 6 th , 9 th , 11 th & 14 th , 3 on the 27 th & 30 th . |
| October | R=10/16 | 1 to 3 birds throughout. |
| November | R=5/10 | 1 on the 1st & 9th, 2 on the 18th, 1 on the 24th & 29th. |
| December | R=10/13 | 1 to 3 birds throughout. |
| | | |

Nest Boxes at Farnham Gravel Pit 17th May 2014

| Great Tit – sitting |
|-----------------------------------|
| |
| Blue Tit – newly hatched |
| Great Tit – sitting |
| Bumblebee in completed nest |
| Great Tit – 5 eggs |
| Blue Tit – 8 eggs |
| Empty |
| |
| Free Sparrow − 4 young New box |
| Empty Old box |
| Wasp nest Vespa sylvatica New box |
| Wasp nest New box |
| Nest material New box |
| Great Tit – sitting |
| Blue Tit – 9 eggs |
| |
| |

New box on old oak

Tree Sparrow, ca 3 well grown young

| Old Co | opse | | |
|--------|------|---------------------|--|
| Box | 1 | Great Tit – 9 young | |
| | 2 | Blue Tit – 6 young | |
| | 3 | Great Tit- 8 young | |
| | 4 | Blue Tit – 9 eggs | |
| | 5 | Great Tit – 9 young | |
| | | | |

| West F | Path | | |
|--------|-------------|---|--|
| Box | 1 2 3 | Great Tit – 5 young Blue Tit – 10 young Great Tit – 9 young | |
| Area 5 | <u> </u> | | |

| Box | 1 | Great Tit – Ready to fledge |
|-----|---|-----------------------------|
| | 2 | Empty |
| | 3 | Great Tit – Ready to fledge |

Hide Path

Blue Tit – Sitting

Additional

Copse

Treecreeper – Feeding young Tawny Owl nesting in Kestrel Box

Farnham Monthly Statistics

| Month | Day Cov | verage | Species | Records | Cum. Records |
|--------------|-----------|---------|---------|---------|--------------|
| January 2014 | 16 / 31 | = 51.6% | 65 | 694 | 694 |
| Febuary | 13 / 28 | = 46.4% | 64 | 573 | 1267 |
| March | 15 / 31 | = 48.4% | 76 | 738 | 2005 |
| April | 17 / 30 | = 56.7% | 86 | 784 | 2789 |
| May | 10 / 31 | = 32.3% | 82 | 464 | 3253 |
| June | 11 / 30 | = 36.7% | 69 | 505 | 3758 |
| July | 14 / 31 | = 45.2% | 84 | 673 | 4431 |
| August | 20 / 31 | = 64.5% | 91 | 967 | 5398 |
| September | 11 / 30 | = 36.7% | 78 | 554 | 5952 |
| October | 16 / 31 | = 51.6% | 74 | 762 | 6714 |
| November | 10 / 30 | = 33.3% | 77 | 508 | 7222 |
| December | 13 / 31 | = 41.9% | 68 | 607 | 7829 |
| Year 2014 | 166 / 365 | = 45.5% | | | |